THE ANNALS
of
STATISTICS

An Official Journal of the
Institute of Mathematical Statistics

VOLUME 37

2009

CONTENTS OF VOLUME 37

Articles

AI, MINGYAO, WU, C. F. JEFF AND QIAN, PETER Z. G. Construction of nested space-filling designs 3616–3643

AÏT-SAHALIA, YACINE AND JACOD, JEAN. Testing for jumps in a discretely observed process 184–222

AÏT-SAHALIA, YACINE AND JACOD, JEAN. Estimating the degree of activity of jumps in high frequency data 2202–2244

ALI, R. AYESHA, RICHARDSON, THOMAS S. AND SPIRTES, PETER. Markov equivalence for ancestral graphs 2808–2837

ALLMAN, ELIZABETH S., MATIAS, CATHERINE AND RHODES, JOHN A. Identifiability of parameters in latent structure models with many observed variables 3099–3132

ALQALLAF, FATEMAH, VAN AELST, STEFAN, YOHAI, VICTOR J. AND ZAMAR, RUBEN H. Propagation of outliers in multivariate data 311–331

AMINI, ARASH A. AND WAINWRIGHT, MARTIN J. High-dimensional analysis of semidefinite relaxations for sparse principal components 2877–2921

ANDERES, ETHAN AND CHATTERJEE, SOURAV. Consistent estimates of deformed isotropic Gaussian random fields on the plane 2324–2350

ANDERSSON, SOFIA AND RYDÉN, TOBIAS. Subspace estimation and prediction methods for hidden Markov models 4131–4152

ANDREWS, BETH, CALDER, MATTHEW AND DAVIS, RICHARD A. Maximum likelihood estimation for α-stable autoregressive processes 1946–1982

ANDRIEU, CHRISTOPHE AND ROBERTS, GARETH O. The pseudo-marginal approach for efficient Monte Carlo computations 697–725

ANGHEL, MARIAN AND STEINWART, INGO. Consistency of support vector machines for forecasting the evolution of an unknown ergodic dynamical system from observations with unknown noise 841–875

ARIAS-CASTRO, ERY AND DONOHO, DAVID L. Does median filtering truly preserve edges better than linear filtering? 1172–1206

AUDIBERT, JEAN-YVES. Fast learning rates in statistical inference through aggregation 1591–1646

AUE, ALEXANDER, HÖRMANN, SIEGFRIED, HORVÁTH, LAJOS AND REIMHERR, MATTHEW. Break detection in the covariance structure of multivariate time series models 4046–4087

BACH, FRANCIS R., JORDAN, MICHAEL I. AND FUKUMIZU, KENJI. Kernel dimension reduction in regression 1871–1905

BAI, ZHIDONG, JIANG, DANDAN, YAO, JIAN-FENG AND ZHENG, SHURONG. Corrections to LRT on large-dimensional covariance matrix by RMT 3822–3840
BAILEY, R. A. AND BRIEN, C. J. Decomposition tables for experiments I. A chain of randomizations 4184–4213
BALABDAOUI, FADOUA, RUFIBACH, KASPAR AND WELLNER, JON A. Limit distribution theory for maximum likelihood estimation of a log-concave density 1299–1331
BALAKRISHNAN, N. AND ZHAO, XINGQIU. New multi-sample nonparametric tests for panel count data 1112–1149
BALDI, P., KERKYACHARIAN, G., MARINUCCI, D. AND PICARD, D. Asymptotics for spherical needlets 1150–1171
BALDI, P., KERKYACHARIAN, G., MARINUCCI, D. AND PICARD, D. Adaptive density estimation for directional data using needlets 3362–3394
BANERJEE, MOULINATH, MICHAILIDIS, GEORGE AND LAN, YAN. Change-point estimation under adaptive sampling 1752–1791
BARAUD, YANNICK, GIRAUD, CHRISTOPHE AND HUET, SYLVIE. Gaussian model selection with an unknown variance 630–672
BARDET, JEAN-MARC AND WINTENBERGER, OLIVIER. Asymptotic normality of the quasi-maximum likelihood estimator for multidimensional causal processes 2730–2759
BELKIN, MIKHAIL, YU, BIN AND SHI, TAO. Data spectroscopy: Eigenspaces of convolution operators and clustering 3960–3984
BELLONI, ALEXANDRE AND CHERNOZHUKOV, VICTOR. On the computational complexity of MCMC-based estimators in large samples 2011–2055
BENJAMINI, YOAV, SARKAR, SANAT K. AND GAVRILOV, YULIA. An adaptive step-down procedure with proven FDR control under independence 619–629
BENKO, MICHAL, HÄRDLE, WOLFGANG AND KNEIP, ALOIS. Common functional principal components 1–34
BERGER, JAMES O., BERNARDO, JOSÉ M. AND SUN, DONGCHU. The formal definition of reference priors 905–938
BERNARDO, JOSÉ M., SUN, DONGCHU AND BERGER, JAMES O. The formal definition of reference priors 905–938
BESKOS, ALEXANDROS, PAPASPILIOPOULOS, OMIROS AND ROBERTS, GARETH. Monte Carlo maximum likelihood estimation for discretely observed diffusion processes 223–245
BICKEL, PETER J., RITOV, YA'ACOV AND TSYBAKOV, ALEXANDRE B. Simultaneous analysis of Lasso and Dantzig selector 1705–1732

BINGHAM, DEREK R., DEAN, ANGELA M. AND RANJAN, PRITAM. Existence and construction of randomization defining contrast subspaces for regular factorial designs 3580–3599

BOYSEN, LEIF, KEMPE, ANGELA, LIEBSCHER, VOLKMAR, MUNK, AXEL AND WITTICH, OLAF. Consistencies and rates of convergence of jump-penalized least squares estimators 157–183

BRIEN, C. J. AND BAILEY, R. A. Decomposition tables for experiments I. A chain of randomizations 4184–4213

BROWN, LAWRENCE D. AND GREENSHTEIN, EITAN. Nonparametric empirical Bayes and compound decision approaches to estimation of a high-dimensional vector of normal means 1685–1704

BÜHLMANN, PETER, MAATHUIS, MARLOES H. AND KALISCH, MARKUS. Estimating high-dimensional intervention effects from observational data 3133–3164

BÜHLMANN, PETER, MEIER, LUKAS AND VAN DE GEER, SARA. High-dimensional additive modeling 3779–3821

BURMAN, PRABIR AND SHUMWAY, ROBERT H. Estimation of trend in state-space models: Asymptotic mean square error and rate of convergence 3715–3742

CAI, T. TONY AND ZHOU, HARRISON H. A data-driven block thresholding approach to wavelet estimation 569–595

CAI, T. TONY AND ZHOU, HARRISON H. Asymptotic equivalence and adaptive estimation for robust nonparametric regression ... 3204–3235

CALDER, MATTHEW, DAVIS, RICHARD A. AND ANDREWS, BETH. Maximum likelihood estimation for α-stable autoregressive processes 1946–1982

CANDÈS, EMMANUEL J. AND PLAN, YANIV. Near-ideal model selection by ℓ_1 minimization 2145–2177

CASELLA, GEORGE, GIRÓN, F. JAVIER, MARTÍNEZ, M. LINA AND MORENO, ELÍAS. Consistency of Bayesian procedures for variable selection 1207–1228

CHAN, HOCK PENG. Detection of spatial clustering with average likelihood ratio test statistics 3985–4010

CHAN, YAO-BAN AND HALL, PETER. Robust nearest-neighbor methods for classifying high-dimensional data 3186–3203

CHANG, HUA-HUA AND YING, ZHILIANG. Nonlinear sequential designs for logistic item response theory models with applications to computerized adaptive tests 1466–1488

CHATTERJEE, SOURAV AND ANDERES, ETHAN. Consistent estimates of deformed isotropic Gaussian random fields on the plane 2324–2350

CHEN, HEGANG H. AND CHENG, CHING-SHUI. Some results on 2^{n-m} designs of resolution IV with (weak) minimum aberration 3600–3615
CHEN, JIAHUA AND LI, PENGFEI. Hypothesis test for normal mixture models: The EM approach 2523–2542
CHEN, SONG XI AND WANG, DONG. Empirical likelihood for estimating equations with missing values 490–517
CHEN, XIAOHONG, HANSEN, LARS PETER AND SCHEINKMAN, JOSÉ. Nonlinear principal components and long-run implications of multivariate diffusions 4279–4312
CHEN, XIAOHONG, WU, WEI BIAO AND YI, YANPING. Efficient estimation of copula-based semiparametric Markov models 4214–4253
CHENG, CHING-SHUI AND CHEN, HEGANG H. Some results on 2^{n-m} designs of resolution IV with (weak) minimum aberration 3600–3615
CHERNOZHUKOV, VICTOR AND BELLONI, ALEXANDRE. On the computational complexity of MCMC-based estimators in large samples 2011–2055
CLARKE, SANDY AND HALL, PETER. Robustness of multiple testing procedures against dependence 332–358
COHEN, ARTHUR, SACKROWITZ, HAROLD B. AND XU, MINYA. A new multiple testing method in the dependent case 1518–1544
CRAMBES, CHRISTOPHE, KNEIP, ALOIS AND SARDA, PASCAL. Smoothing splines estimators for functional linear regression 35–72
CUI, XIA, GUO, WENSHENG, LIN, LU AND ZHU, LIXING. Covariate-adjusted nonlinear regression 1839–1870
DAVIES, P. L., KOVAC, A. AND MEISE, M. Nonparametric regression, confidence regions and regularization 2597–2625
DAVIS, RICHARD A., ANDREWS, BETH AND CALDER, MATTHEW. Maximum likelihood estimation for α-stable autoregressive processes 1946–1982
DE BLASI, PIERPAOLO, PECCATI, GIOVANNI AND PRÜNSTER, IGOR. Asymptotics for posterior hazards 1906–1945
DEAN, ANGELA M., RANJAN, PRITAM AND BINGHAM, DEREK R. Existence and construction of randomization defining contrast subspaces for regular factorial designs 3580–3599
DETTE, HOLGER AND HOLLAND-LETZ, TIM. A geometric characterization of c-optimal designs for heteroscedastic regression 4088–4103
DETTE, HOLGER AND TITOFF, STEFANIE. Optimal discrimination designs 2056–2082
DICKHAUS, THORSTEN, ROTERS, MARKUS AND FINNER, HELMUT. On the false discovery rate and an asymptotically optimal rejection curve 596–618

DOBRA, ADRIAN, MASSAM, HÉLÈNE AND LIU, JINNAN. A conjugate prior for discrete hierarchical log-linear models 3431–3467
DONG, YUEXIAO AND LI, BING. Dimension reduction for nonelliptically distributed predictors..... 1272–1298
DONOHO, DAVID L. AND ARIAS-CASTRO, ERY. Does median filtering truly preserve edges better than linear filtering?..... 1172–1206
DRTON, MATHIAS. Likelihood ratio tests and singularities 979–1012
DU, JUAN, ZHANG, HAO AND MANDREKAR, V. S. Fixed-domain asymptotic properties of tapered maximum likelihood estimators 3330–3361
DUDLEY, R. M., SIDENKO, SERGIY AND WANG, ZUOQIN. Differentiability of t-functionals of location and scatter 939–960
EINMAHL, JOHN H. J. AND SEGERS, JOHAN. Maximum empirical likelihood estimation of the spectral measure of an extreme-value distribution..... 2953–2989
FAN, JIANQING AND LAM, CLIFFORD. Sparsistency and rates of convergence in large covariance matrix estimation..... 4254–4278
FAN, JIANQING, SUN, YAN AND ZHANG, WENYANG. A semiparametric model for cluster data 2377–2408
FAN, JIANQING, WU, YICHAO AND FENG, YANG. Local quasi-likelihood with a parametric guide 4153–4183
FAN, YINGYING AND LV, JINCHI. A unified approach to model selection and sparse recovery using regularized least squares 3498–3528
FANG, FANG, HONG, QUAN AND SHAO, JUN. A pseudo empirical likelihood approach for stratified samples with nonresponse ... 371–393
FENG, YANG, FAN, JIANQING AND WU, YICHAO. Local quasi-likelihood with a parametric guide 4153–4183
FINE, JASON P., SONG, RUI AND KOSOROK, MICHAEL R. On asymptotically optimal tests under loss of identifiability in semiparametric models..... 2409–2444
FINNER, HELMUT, DICKHAUS, THORSTEN AND ROTERS, MARKUS. On the false discovery rate and an asymptotically optimal rejection curve..... 596–618
FLOURNOY, NANCY AND MAY, CATERINA. Asymptotics in response-adaptive designs generated by a two-color, randomly reinforced urn 1058–1078
FUKUMIZU, KENJI, BACH, FRANCIS R. AND JORDAN, MICHAEL I. Kernel dimension reduction in regression..... 1871–1905
FYGENSON, MENDEL AND WANG, HUIXIA JUDY. Inference for censored quantile regression models in longitudinal studies.... 756–781
GAMMERMAN, ALEX, VOVK, VLADIMIR AND NOURETDINOV, ILIA. On-line predictive linear regression 1566–1590

GAO, JITI, KING, MAXWELL, LU, ZUDI AND TJØSTHEIM, DAG. Specification testing in nonlinear and nonstationary time series autoregression 3893–3928
GAVRILOV, YULIA, BENJAMINI, YOAV AND SARKAR, SANAT K. An adaptive step-down procedure with proven FDR control under independence 619–629
GENEST, CHRISTIAN AND SEGERS, JOHAN. Rank-based inference for bivariate extreme-value copulas 2990–3022
GENOVESE, CHRISTOPHER R., PERONE-PACIFICO, MARCO, VERDINELLI, ISABELLA AND WASSERMAN, LARRY. On the path density of a gradient field 3236–3271
GHOSH, JAYANTA K., TOKDAR, SURYA T. AND MARTIN, RYAN. Consistency of a recursive estimate of mixing distributions 2502–2522
GIJBELS, IRÈNE, VERAVERBEKE, NOËL AND OMELKA, MAREK. Improved kernel estimation of copulas: Weak convergence and goodness-of-fit testing 3023–3058
GILBERT, PETER B., MCKEAGUE, IAN W. AND SUN, YANQING. Proportional hazards models with continuous marks 394–426
GIRAUD, CHRISTOPHE, HUET, SYLVIE AND BARAUD, YANNICK. Gaussian model selection with an unknown variance 630–672
GIRÓN, F. JAVIER, MARTÍNEZ, M. LINA, MORENO, ELÍAS AND CASELLA, GEORGE. Consistency of Bayesian procedures for variable selection 1207–1228
GOLDENSHLUGER, ALEXANDER. A universal procedure for aggregating estimators 542–568
GORFINE, MALKA, ZUCKER, DAVID M. AND HSU, LI. Case-control survival analysis with a general semiparametric shared frailty model: A pseudo full likelihood approach 1489–1517
GREENSHTEIN, EITAN AND BROWN, LAWRENCE D. Nonparametric empirical Bayes and compound decision approaches to estimation of a high-dimensional vector of normal means 1685–1704
GRENDÁR, MARIAN AND JUDGE, GEORGE. Asymptotic equivalence of empirical likelihood and Bayesian MAP 2445–2457
GUO, WENGE AND SARKAR, SANAT K. On a generalized false discovery rate 1545–1565
GUO, WENSHENG, LIN, LU, ZHU, LIXING AND CUI, XIA. Covariate-adjusted nonlinear regression 1839–1870
HALL, PETER AND CHAN, YAO-BAN. Robust nearest-neighbor methods for classifying high-dimensional data 3186–3203
HALL, PETER AND CLARKE, SANDY. Robustness of multiple testing procedures against dependence 332–358

HALL, PETER AND MILLER, HUGH. Using the bootstrap to quantify the authority of an empirical ranking 3929–3959
HALL, PETER, MÜLLER, HANS-GEORG AND YAO, FANG. Estimation of functional derivatives 3307–3329
HANSEN, LARS PETER, SCHEINKMAN, JOSÉ AND CHEN, XIAOHONG. Nonlinear principal components and long-run implications of multivariate diffusions 4279–4312
HÄRDLE, WOLFGANG, KNEIP, ALOIS AND BENKO, MICHAL. Common functional principal components 1–34
HE, XUMING, HU, FEIFANG AND ZHANG, LI-XIN. Efficient randomized-adaptive designs 2543–2560
HJORT, NILS LID, MCKEAGUE, IAN W. AND VAN KEILEGOM, INGRID. Extending the scope of empirical likelihood 1079–1111
HJORT, NILS LID AND WALKER, STEPHEN G. Quantile pyramids for Bayesian nonparametrics 105–131
HOLLAND-LETZ, TIM AND DETTE, HOLGER. A geometric characterization of c-optimal designs for heteroscedastic regression 4088–4103
HONG, QUAN, SHAO, JUN AND FANG, FANG. A pseudo empirical likelihood approach for stratified samples with nonresponse ... 371–393
HÖRMANN, SIEGFRIED, HORVÁTH, LAJOS, REIMHERR, MATTHEW AND AUE, ALEXANDER. Break detection in the covariance structure of multivariate time series models 4046–4087
HORVÁTH, LAJOS, REIMHERR, MATTHEW, AUE, ALEXANDER AND HÖRMANN, SIEGFRIED. Break detection in the covariance structure of multivariate time series models 4046–4087
HSING, TAILEN AND REN, HAOBO. An RKHS formulation of the inverse regression dimension-reduction problem 726–755
HSU, LI, GORFINE, MALKA AND ZUCKER, DAVID M. Case-control survival analysis with a general semiparametric shared frailty model: A pseudo full likelihood approach 1489–1517
HU, FEIFANG, ZHANG, LI-XIN AND HE, XUMING. Efficient randomized-adaptive designs 2543–2560
HUANG, JIAN AND XIE, HUILIANG. SCAD-penalized regression in high-dimensional partially linear models 673–696
HUET, SYLVIE, BARAUD, YANNICK AND GIRAUD, CHRISTOPHE. Gaussian model selection with an unknown variance 630–672
JACOD, JEAN AND AÏT-SAHALIA, YACINE. Testing for jumps in a discretely observed process 184–222
JACOD, JEAN AND AÏT-SAHALIA, YACINE. Estimating the degree of activity of jumps in high frequency data 2202–2244

JACOD, JEAN AND TODOROV, VIKTOR. Testing for common arrivals of jumps for discretely observed multidimensional processes 1792–1838
JAMES, GARETH M., WANG, JING AND ZHU, JI. Functional linear regression that's interpretable 2083–2108
JIANG, DANDAN, YAO, JIAN-FENG, ZHENG, SHURONG AND BAI, ZHIDONG. Corrections to LRT on large-dimensional covariance matrix by RMT 3822–3840
JIANG, WENHUA AND ZHANG, CUN-HUI. General maximum likelihood empirical Bayes estimation of normal means 1647–1684
JOHANNES, JAN. Deconvolution with unknown error distribution 2301–2323
JONGBLOED, GEURT AND VAN DER MEULEN, FRANK H. Estimating a concave distribution function from data corrupted with additive noise 782–815
JORDAN, MICHAEL I., FUKUMIZU, KENJI AND BACH, FRANCIS R. Kernel dimension reduction in regression 1871–1905
JORDAN, MICHAEL I., NGUYEN, XUANLONG AND WAINWRIGHT, MARTIN J. On surrogate loss functions and f-divergences .. 876–904
JUDGE, GEORGE AND GRENDÁR, MARIAN. Asymptotic equivalence of empirical likelihood and Bayesian MAP 2445–2457
JUDITSKY, ANATOLI B., LEPSKI, OLEG V. AND TSYBAKOV, ALEXANDRE B. Nonparametric estimation of composite functions 1360–1404
JUDITSKY, ANATOLI B. AND NEMIROVSKI, ARKADI S. Nonparametric estimation by convex programming 2278–2300
JUNG, SUNGKYU AND MARRON, J. S. PCA consistency in high dimension, low sample size context 4104–4130
KALBFLEISCH, JOHN D., YU, MENGGANG AND NAN, BIN. Asymptotic theory for the semiparametric accelerated failure time model with missing data 2351–2376
KALISCH, MARKUS, BÜHLMANN, PETER AND MAATHUIS, MARLOES H. Estimating high-dimensional intervention effects from observational data 3133–3164
KEMPE, ANGELA, LIEBSCHER, VOLKMAR, MUNK, AXEL, WITTICH, OLAF AND BOYSEN, LEIF. Consistencies and rates of convergence of jump-penalized least squares estimators 157–183
KERKYACHARIAN, G., MARINUCCI, D., PICARD, D. AND BALDI, P. Asymptotics for spherical needlets 1150–1171
KERKYACHARIAN, G., MARINUCCI, D., PICARD, D. AND BALDI, P. Adaptive density estimation for directional data using needlets 3362–3394

KHMALADZE, ESTATE V. AND KOUL, HIRA L. Goodness-of-fit problem for errors in nonparametric regression: Distribution free approach 3165–3185
KING, MAXWELL, LU, ZUDI, TJØSTHEIM, DAG AND GAO, JITI. Specification testing in nonlinear and nonstationary time series autoregression 3893–3928
KNEIP, ALOIS, BENKO, MICHAL AND HÄRDLE, WOLFGANG. Common functional principal components 1–34
KNEIP, ALOIS, SARDA, PASCAL AND CRAMBES, CHRISTOPHE. Smoothing splines estimators for functional linear regression 35–72
KOLTCHINSKII, VLADIMIR. Sparse recovery in convex hulls via entropy penalization 1332–1359
KOSOROK, MICHAEL R., FINE, JASON P. AND SONG, RUI. On asymptotically optimal tests under loss of identifiability in semiparametric models 2409–2444
KOUL, HIRA L. AND KHMALADZE, ESTATE V. Goodness-of-fit problem for errors in nonparametric regression: Distribution free approach 3165–3185
KOUL, HIRA L. AND SONG, WEIXING. Minimum distance regression model checking with Berkson measurement errors 132–156
KOVAC, A., MEISE, M. AND DAVIES, P. L. Nonparametric regression, confidence regions and regularization 2597–2625
KULIK, RAFAŁ AND RAIMONDO, MARC. Wavelet regression in random design with heteroscedastic dependent errors 3396–3430
LAM, CLIFFORD AND FAN, JIANQING. Sparsistency and rates of convergence in large covariance matrix estimation 4254–4278
LAN, YAN, BANERJEE, MOULINATH AND MICHAILIDIS, GEORGE. Change-point estimation under adaptive sampling 1752–1791
LEEB, HANNES. Conditional predictive inference post model selection 2838–2876
LEPSKI, OLEG V., TSYBAKOV, ALEXANDRE B. AND JUDITSKY, ANATOLI B. Nonparametric estimation of composite functions 1360–1404
LI, BING AND DONG, YUEXIAO. Dimension reduction for nonelliptically distributed predictors 1272–1298
LI, PENGFEI AND CHEN, JIAHUA. Hypothesis test for normal mixture models: The EM approach 2523–2542
LIANG, FAMING. Improving SAMC using smoothing methods: Theory and applications to Bayesian model selection problems 2626–2654
LIANG, HUA AND ZHOU, YONG. Statistical inference for semiparametric varying-coefficient partially linear models with error-prone linear covariates 427–458

LIEBSCHER, VOLKMAR, MUNK, AXEL, WITTICH, OLAF, BOYSEN, LEIF AND KEMPE, ANGELA. Consistencies and rates of convergence of jump-penalized least squares estimators 157–183
LIN, LU, ZHU, LIXING, CUI, XIA AND GUO, WENSHENG. Covariate-adjusted nonlinear regression 1839–1870
LIN, ZHENGYAN AND LIU, WEIDONG. On maxima of periodograms of stationary processes 2676–2695
LINDSAY, BRUCE G. AND LIU, JIAWEI. Building and using semiparametric tolerance regions for parametric multinomial models 3644–3658
LIU, JIAWEI AND LINDSAY, BRUCE G. Building and using semiparametric tolerance regions for parametric multinomial models 3644–3658
LIU, JINNAN, DOBRA, ADRIAN AND MASSAM, HÉLÈNE. A conjugate prior for discrete hierarchical log-linear models 3431–3467
LIU, WEIDONG AND LIN, ZHENGYAN. On maxima of periodograms of stationary processes 2676–2695
LU, ZUDI, TJØSTHEIM, DAG, GAO, JITI AND KING, MAXWELL. Specification testing in nonlinear and nonstationary time series autoregression 3893–3928
LUO, RONGHUA, WANG, HANSHENG AND TSAI, CHIH-LING. Contour projected dimension reduction 3743–3778
LV, JINCHI AND FAN, YINGYING. A unified approach to model selection and sparse recovery using regularized least squares 3498–3528
MAATHUIS, MARLOES H., KALISCH, MARKUS AND BÜHLMANN, PETER. Estimating high-dimensional intervention effects from observational data 3133–3164
MALLIAVIN, PAUL AND MANCINO, MARIA ELVIRA. A Fourier transform method for nonparametric estimation of multivariate volatility 1983–2010
MANCINO, MARIA ELVIRA AND MALLIAVIN, PAUL. A Fourier transform method for nonparametric estimation of multivariate volatility 1983–2010
MANDREKAR, V. S., DU, JUAN AND ZHANG, HAO. Fixed-domain asymptotic properties of tapered maximum likelihood estimators 3330–3361
MARCHETTI, GIOVANNI M. AND WERMUTH, NANNY. Matrix representations and independencies in directed acyclic graphs 961–978
MARINUCCI, D., PICARD, D., BALDI, P. AND KERKYACHARIAN, G. Asymptotics for spherical needlets..... 1150–1171
MARINUCCI, D., PICARD, D., BALDI, P. AND KERKYACHARIAN, G. Adaptive density estimation for directional data using needlets 3362–3394

MARRON, J. S. AND JUNG, SUNGKYU. PCA consistency in high dimension, low sample size context 4104–4130
MARTIN, RYAN, GHOSH, JAYANTA K. AND TOKDAR, SURYA T. Consistency of a recursive estimate of mixing distributions 2502–2522
MARTÍNEZ, M. LINA, MORENO, ELÍAS, CASELLA, GEORGE AND GIRÓN, F. JAVIER. Consistency of Bayesian procedures for variable selection 1207–1228
MASSAM, HÉLÈNE, LIU, JINNAN AND DOBRA, ADRIAN. A conjugate prior for discrete hierarchical log-linear models 3431–3467
MATIAS, CATHERINE, RHODES, JOHN A. AND ALLMAN, ELIZABETH S. Identifiability of parameters in latent structure models with many observed variables 3099–3132
MATSUDA, YASUMASA AND YAJIMA, YOSHIHIRO. On nonparametric and semiparametric testing for multivariate linear time series 3529–3554
MAY, CATERINA AND FLOURNOY, NANCY. Asymptotics in response-adaptive designs generated by a two-color, randomly reinforced urn 1058–1078
MCKEAGUE, IAN W., SUN, YANQING AND GILBERT, PETER B. Proportional hazards models with continuous marks 394–426
MCKEAGUE, IAN W., VAN KEILEGOM, INGRID AND HJORT, NILS LID. Extending the scope of empirical likelihood 1079–1111
MCNEIL, ALEXANDER J. AND NEŠLEHOVÁ, JOHANNA. Multivariate Archimedean copulas, d-monotone functions and ℓ_1-norm symmetric distributions 3059–3097
MEIER, LUKAS, VAN DE GEER, SARA AND BÜHLMANN, PETER. High-dimensional additive modeling 3779–3821
MEINSHAUSEN, NICOLAI AND YU, BIN. Lasso-type recovery of sparse representations for high-dimensional data 246–270
MEISE, M., DAVIES, P. L. AND KOVAC, A. Nonparametric regression, confidence regions and regularization 2597–2625
MICHAILIDIS, GEORGE, LAN, YAN AND BANERJEE, MOULINATH. Change-point estimation under adaptive sampling 1752–1791
MILLER, HUGH AND HALL, PETER. Using the bootstrap to quantify the authority of an empirical ranking 3929–3959
MOREIRA, MARCELO J. A maximum likelihood method for the incidental parameter problem 3660–3696
MORENO, ELÍAS, CASELLA, GEORGE, GIRÓN, F. JAVIER AND MARTÍNEZ, M. LINA. Consistency of Bayesian procedures for variable selection 1207–1228

MULER, NORA, PEÑA, DANIEL AND YOHAI, VÍCTOR J. Robust estimation for ARMA models 816–840
MÜLLER, HANS-GEORG, YAO, FANG AND HALL, PETER. Estimation of functional derivatives 3307–3329
MÜLLER, URSULA U. Estimating linear functionals in nonlinear regression with responses missing at random 2245–2277
MUNK, AXEL, WITTICH, OLAF, BOYSEN, LEIF, KEMPE, ANGELA AND LIEBSCHER, VOLKMAR. Consistencies and rates of convergence of jump-penalized least squares estimators 157–183
NAN, BIN, KALBFLEISCH, JOHN D. AND YU, MENGGANG. Asymptotic theory for the semiparametric accelerated failure time model with missing data 2351–2376
NEMIROVSKI, ARKADI S. AND JUDITSKY, ANATOLI B. Nonparametric estimation by convex programming 2278–2300
NEŠLEHOVÁ, JOHANNA AND MCNEIL, ALEXANDER J. Multivariate Archimedean copulas, d-monotone functions and ℓ_1-norm symmetric distributions 3059–3097
NGUYEN, XUANLONG, WAINWRIGHT, MARTIN J. AND JORDAN, MICHAEL I. On surrogate loss functions and f-divergences 876–904
NISHIYAMA, YOICHI. Asymptotic theory of semiparametric Z-estimators for stochastic processes with applications to ergodic diffusions and time series 3555–3579
NORDMAN, DANIEL J. A note on the stationary bootstrap's variance 359–370
NOURETDINOV, ILIA, GAMMERMAN, ALEX AND VOVK, VLADIMIR. On-line predictive linear regression 1566–1590
NOWAK, ROBERT, SINGH, AARTI AND SCOTT, CLAYTON. Adaptive Hausdorff estimation of density level sets 2760–2782
NUSSBAUM, MICHAEL AND SZKOŁA, ARLETA. The Chernoff lower bound for symmetric quantum hypothesis testing 1040–1057
OLSZEWSKI, WOJCIECH AND SANDRONI, ALVARO. A nonmanipulable test 1013–1039
OMELKA, MAREK, GIJBELS, IRÈNE AND VERAVERBEKE, NOËL. Improved kernel estimation of copulas: Weak convergence and goodness-of-fit testing 3023–3058
OSIUS, GERHARD. Asymptotic inference for semiparametric association models 459–489
OWEN, ART B. Karl Pearson's meta-analysis revisited 3867–3892
PANARETOS, VICTOR M. On random tomography with unobservable projection angles 3272–3306

PAPASPILIOPOULOS, OMIROS, ROBERTS, GARETH AND BESKOS, ALEXANDROS. Monte Carlo maximum likelihood estimation for discretely observed diffusion processes 223–245

PARK, YONIL, SHEETLIN, SERGEY AND SPOUGE, JOHN L. Estimating the Gumbel scale parameter for local alignment of random sequences by importance sampling with stopping times ... 3697–3714

PAUL, DEBASHIS AND PENG, JIE. Consistency of restricted maximum likelihood estimators of principal components 1229–1271

PECCATI, GIOVANNI, PRÜNSTER, IGOR AND DE BLASI, PIERPAOLO. Asymptotics for posterior hazards 1906–1945

PEÑA, DANIEL, YOHAI, VÍCTOR J. AND MULER, NORA. Robust estimation for ARMA models 816–840

PENG, JIE AND PAUL, DEBASHIS. Consistency of restricted maximum likelihood estimators of principal components 1229–1271

PENSKY, MARIANNA AND SAPATINAS, THEOFANIS. Functional deconvolution in a periodic setting: Uniform case 73–104

PERONE-PACIFICO, MARCO, VERDINELLI, ISABELLA, WASSERMAN, LARRY AND GENOVESE, CHRISTOPHER R. On the path density of a gradient field 3236–3271

PHOA, FREDERICK K. H. AND XU, HONGQUAN. Quarter-fraction factorial designs constructed via quaternary codes 2561–2581

PICARD, D., BALDI, P., KERKYACHARIAN, G. AND MARINUCCI, D. Asymptotics for spherical needlets 1150–1171

PICARD, D., BALDI, P., KERKYACHARIAN, G. AND MARINUCCI, D. Adaptive density estimation for directional data using needlets 3362–3394

PLAN, YANIV AND CANDÈS, EMMANUEL J. Near-ideal model selection by ℓ_1 minimization 2145–2177

PRÜNSTER, IGOR, DE BLASI, PIERPAOLO AND PECCATI, GIOVANNI. Asymptotics for posterior hazards 1906–1945

QIAN, PETER Z. G., AI, MINGYAO AND WU, C. F. JEFF. Construction of nested space-filling designs 3616–3643

RAIMONDO, MARC AND KULIK, RAFAŁ. Wavelet regression in random design with heteroscedastic dependent errors 3396–3430

RANJAN, PRITAM, BINGHAM, DEREK R. AND DEAN, ANGELA M. Existence and construction of randomization defining contrast subspaces for regular factorial designs 3580–3599

REIMHERR, MATTHEW, AUE, ALEXANDER, HÖRMANN, SIEGFRIED AND HORVÁTH, LAJOS. Break detection in the covariance structure of multivariate time series models 4046–4087

REN, HAOBO AND HSING, TAILEN. An RKHS formulation of the inverse regression dimension-reduction problem 726–755
RHODES, JOHN A., ALLMAN, ELIZABETH S. AND MATIAS, CATHERINE. Identifiability of parameters in latent structure models with many observed variables 3099–3132
RICHARDSON, THOMAS S., SPIRTES, PETER AND ALI, R. AYESHA. Markov equivalence for ancestral graphs..... 2808–2837
RINALDO, ALESSANDRO. Properties and refinements of the fused lasso 2922–2952
RITOV, YA'ACOV, TSYBAKOV, ALEXANDRE B. AND BICKEL, PETER J. Simultaneous analysis of Lasso and Dantzig selector 1705–1732
ROBERT, CHRISTIAN Y. Inference for the limiting cluster size distribution of extreme values 271–310
ROBERTS, GARETH O. AND ANDRIEU, CHRISTOPHE. The pseudo-marginal approach for efficient Monte Carlo computations..... 697–725
ROBERTS, GARETH, BESKOS, ALEXANDROS AND PAPASPILIOPOULOS, OMIROS. Monte Carlo maximum likelihood estimation for discretely observed diffusion processes..... 223–245
ROBINS, JAMES M. AND VANDERWEELE, TYLER J. Minimal sufficient causation and directed acyclic graphs 1437–1465
ROCHA, GUILHERME, YU, BIN AND ZHAO, PENG. The composite absolute penalties family for grouped and hierarchical variable selection 3468–3497
ROEDER, KATHRYN AND WASSERMAN, LARRY. High-dimensional variable selection..... 2178–2201
ROTERS, MARKUS, FINNER, HELMUT AND DICKHAUS, THORSTEN. On the false discovery rate and an asymptotically optimal rejection curve..... 596–618
RUFIBACH, KASPAR, WELLNER, JON A. AND BALABDAOUI, FADOUA. Limit distribution theory for maximum likelihood estimation of a log-concave density 1299–1331
RYDÉN, TOBIAS AND ANDERSSON, SOFIA. Subspace estimation and prediction methods for hidden Markov models 4131–4152
SACKROWITZ, HAROLD B., XU, MINYA AND COHEN, ARTHUR. A new multiple testing method in the dependent case 1518–1544
SANDRONI, ALVARO AND OLSZEWSKI, WOJCIECH. A nonmanipulable test 1013–1039
SAPATINAS, THEOFANIS AND PENSKY, MARIANNA. Functional deconvolution in a periodic setting: Uniform case..... 73–104
SARDA, PASCAL, CRAMBES, CHRISTOPHE AND KNEIP, ALOIS. Smoothing splines estimators for functional linear regression 35–72

SARKAR, SANAT K., GAVRILOV, YULIA AND BENJAMINI, YOAV. An adaptive step-down procedure with proven FDR control under independence 619–629
SARKAR, SANAT K. AND GUO, WENGE. On a generalized false discovery rate 1545–1565
SCHEINKMAN, JOSÉ, CHEN, XIAOHONG AND HANSEN, LARS PETER. Nonlinear principal components and long-run implications of multivariate diffusions 4279–4312
SCOTT, CLAYTON, NOWAK, ROBERT AND SINGH, AARTI. Adaptive Hausdorff estimation of density level sets 2760–2782
SEGERS, JOHAN AND EINMAHL, JOHN H. J. Maximum empirical likelihood estimation of the spectral measure of an extreme-value distribution 2953–2989
SEGERS, JOHAN AND GENEST, CHRISTIAN. Rank-based inference for bivariate extreme-value copulas 2990–3022
SHAO, JUN, FANG, FANG AND HONG, QUAN. A pseudo empirical likelihood approach for stratified samples with nonresponse ... 371–393
SHEETLIN, SERGEY, SPOUGE, JOHN L. AND PARK, YONIL. Estimating the Gumbel scale parameter for local alignment of random sequences by importance sampling with stopping times ... 3697–3714
SHI, TAO, BELKIN, MIKHAIL AND YU, BIN. Data spectroscopy: Eigenspaces of convolution operators and clustering 3960–3984
SHUMWAY, ROBERT H. AND BURMAN, PRABIR. Estimation of trend in state-space models: Asymptotic mean square error and rate of convergence 3715–3742
SIDENKO, SERGIY, WANG, ZUOQIN AND DUDLEY, R. M. Differentiability of t-functionals of location and scatter 939–960
SINGH, AARTI, SCOTT, CLAYTON AND NOWAK, ROBERT. Adaptive Hausdorff estimation of density level sets 2760–2782
SONG, KYUNGCHUL. Testing conditional independence via Rosenblatt transforms 4011–4045
SONG, RUI, KOSOROK, MICHAEL R. AND FINE, JASON P. On asymptotically optimal tests under loss of identifiability in semiparametric models 2409–2444
SONG, WEIXING AND KOUL, HIRA L. Minimum distance regression model checking with Berkson measurement errors 132–156
SPIRTES, PETER, ALI, R. AYESHA AND RICHARDSON, THOMAS S. Markov equivalence for ancestral graphs 2808–2837
SPOKOINY, VLADIMIR. Multiscale local change point detection with applications to value-at-risk 1405–1436

SPOKOINY, VLADIMIR AND VIAL, CÉLINE. Parameter tuning in pointwise adaptation using a propagation approach 2783–2807
SPOUGE, JOHN L., PARK, YONIL AND SHEETLIN, SERGEY. Estimating the Gumbel scale parameter for local alignment of random sequences by importance sampling with stopping times... 3697–3714
STEINWART, INGO AND ANGHEL, MARIAN. Consistency of support vector machines for forecasting the evolution of an unknown ergodic dynamical system from observations with unknown noise 841–875
STUFKEN, JOHN AND YANG, MIN. Support points of locally optimal designs for nonlinear models with two parameters 518–541
SUN, DONGCHU, BERGER, JAMES O. AND BERNARDO, JOSÉ M. The formal definition of reference priors 905–938
SUN, YAN, ZHANG, WENYANG AND FAN, JIANQING. A semiparametric model for cluster data 2377–2408
SUN, YANQING, GILBERT, PETER B. AND MCKEAGUE, IAN W. Proportional hazards models with continuous marks 394–426
SZKOŁA, ARLETA AND NUSSBAUM, MICHAEL. The Chernoff lower bound for symmetric quantum hypothesis testing 1040–1057
TITOFF, STEFANIE AND DETTE, HOLGER. Optimal discrimination designs 2056–2082
TJØSTHEIM, DAG, GAO, JITI, KING, MAXWELL AND LU, ZUDI. Specification testing in nonlinear and nonstationary time series autoregression 3893–3928
TODOROV, VIKTOR AND JACOD, JEAN. Testing for common arrivals of jumps for discretely observed multidimensional processes 1792–1838
TOKDAR, SURYA T., MARTIN, RYAN AND GHOSH, JAYANTA K. Consistency of a recursive estimate of mixing distributions 2502–2522
TSAI, CHIH-LING, LUO, RONGHUA AND WANG, HANSHENG. Contour projected dimension reduction 3743–3778
TSYBAKOV, ALEXANDRE B., BICKEL, PETER J. AND RITOV, YA'ACOV. Simultaneous analysis of Lasso and Dantzig selector 1705–1732
TSYBAKOV, ALEXANDRE B., JUDITSKY, ANATOLI B. AND LEPSKI, OLEG V. Nonparametric estimation of composite functions.. 1360–1404
VAN AELST, STEFAN, YOHAI, VICTOR J., ZAMAR, RUBEN H. AND ALQALLAF, FATEMAH. Propagation of outliers in multivariate data 311–331
VAN DE GEER, SARA, BÜHLMANN, PETER AND MEIER, LUKAS. High-dimensional additive modeling 3779–3821

VAN DER MEULEN, FRANK H. AND JONGBLOED, GEURT. Estimating a concave distribution function from data corrupted with additive noise 782–815
VAN DER VAART, A. W. AND VAN ZANTEN, J. H. Adaptive Bayesian estimation using a Gaussian random field with inverse Gamma bandwidth 2655–2675
VAN KEILEGOM, INGRID, HJORT, NILS LID AND MCKEAGUE, IAN W. Extending the scope of empirical likelihood 1079–1111
VAN ZANTEN, J. H. AND VAN DER VAART, A. W. Adaptive Bayesian estimation using a Gaussian random field with inverse Gamma bandwidth 2655–2675
VANDERWEELE, TYLER J. AND ROBINS, JAMES M. Minimal sufficient causation and directed acyclic graphs 1437–1465
VERAVERBEKE, NOËL, OMELKA, MAREK AND GIJBELS, IRÈNE. Improved kernel estimation of copulas: Weak convergence and goodness-of-fit testing 3023–3058
VERDINELLI, ISABELLA, WASSERMAN, LARRY, GENOVESE, CHRISTOPHER R. AND PERONE-PACIFICO, MARCO. On the path density of a gradient field 3236–3271
VIAL, CÉLINE AND SPOKOINY, VLADIMIR. Parameter tuning in pointwise adaptation using a propagation approach 2783–2807
VOVK, VLADIMIR, NOURETDINOV, ILIA AND GAMMERMAN, ALEX. On-line predictive linear regression 1566–1590
WAINWRIGHT, MARTIN J. AND AMINI, ARASH A. High-dimensional analysis of semidefinite relaxations for sparse principal components 2877–2921
WAINWRIGHT, MARTIN J., JORDAN, MICHAEL I. AND NGUYEN, XUANLONG. On surrogate loss functions and f-divergences 876–904
WALKER, STEPHEN G. AND HJORT, NILS LID. Quantile pyramids for Bayesian nonparametrics 105–131
WANG, DONG AND CHEN, SONG XI. Empirical likelihood for estimating equations with missing values 490–517
WANG, HANSHENG, TSAI, CHIH-LING AND LUO, RONGHUA. Contour projected dimension reduction 3743–3778
WANG, HUIXIA JUDY AND FYGENSON, MENDEL. Inference for censored quantile regression models in longitudinal studies 756–781
WANG, HUIXIA JUDY, ZHU, ZHONGYI AND ZHOU, JIANHUI. Quantile regression in partially linear varying coefficient models 3841–3866
WANG, JING, ZHU, JI AND JAMES, GARETH M. Functional linear regression that's interpretable 2083–2108

WANG, ZUOQIN, DUDLEY, R. M. AND SIDENKO, SERGIY. Differentiability of t-functionals of location and scatter 939–960
WASSERMAN, LARRY, GENOVESE, CHRISTOPHER R., PERONE-PACIFICO, MARCO AND VERDINELLI, ISABELLA. On the path density of a gradient field 3236–3271
WASSERMAN, LARRY AND ROEDER, KATHRYN. High-dimensional variable selection 2178–2201
WELLNER, JON A., BALABDAOUI, FADOUA AND RUFIBACH, KASPAR. Limit distribution theory for maximum likelihood estimation of a log-concave density 1299–1331
WERMUTH, NANNY AND MARCHETTI, GIOVANNI M. Matrix representations and independencies in directed acyclic graphs 961–978
WINTENBERGER, OLIVIER AND BARDET, JEAN-MARC. Asymptotic normality of the quasi-maximum likelihood estimator for multidimensional causal processes 2730–2759
WITTICH, OLAF, BOYSEN, LEIF, KEMPE, ANGELA, LIEBSCHER, VOLKMAR AND MUNK, AXEL. Consistencies and rates of convergence of jump-penalized least squares estimators 157–183
WU, C. F. JEFF, QIAN, PETER Z. G. AND AI, MINGYAO. Construction of nested space-filling designs 3616–3643
WU, WEI BIAO, YI, YANPING AND CHEN, XIAOHONG. Efficient estimation of copula-based semiparametric Markov models 4214–4253
WU, WEI BIAO AND ZHOU, ZHOU. Local linear quantile estimation for nonstationary time series 2696–2729
WU, YICHAO, FENG, YANG AND FAN, JIANQING. Local quasi-likelihood with a parametric guide 4153–4183
XIE, HUILIANG AND HUANG, JIAN. SCAD-penalized regression in high-dimensional partially linear models 673–696
XU, HONGQUAN AND PHOA, FREDERICK K. H. Quarter-fraction factorial designs constructed via quaternary codes 2561–2581
XU, MINYA, COHEN, ARTHUR AND SACKROWITZ, HAROLD B. A new multiple testing method in the dependent case 1518–1544
YAJIMA, YOSHIHIRO AND MATSUDA, YASUMASA. On nonparametric and semiparametric testing for multivariate linear time series 3529–3554
YANG, MIN AND STUFKEN, JOHN. Support points of locally optimal designs for nonlinear models with two parameters 518–541
YAO, FANG, HALL, PETER AND MÜLLER, HANS-GEORG. Estimation of functional derivatives 3307–3329
YAO, JIAN-FENG, ZHENG, SHURONG, BAI, ZHIDONG AND JIANG, DANDAN. Corrections to LRT on large-dimensional covariance matrix by RMT 3822–3840

YI, YANPING, CHEN, XIAOHONG AND WU, WEI BIAO. Efficient estimation of copula-based semiparametric Markov models 4214–4253
YING, ZHILIANG AND CHANG, HUA-HUA. Nonlinear sequential designs for logistic item response theory models with applications to computerized adaptive tests 1466–1488
YOHAI, VÍCTOR J., MULER, NORA AND PEÑA, DANIEL. Robust estimation for ARMA models 816–840
YOHAI, VICTOR J., ZAMAR, RUBEN H., ALQALLAF, FATEMAH AND VAN AELST, STEFAN. Propagation of outliers in multivariate data 311–331
YU, BIN AND MEINSHAUSEN, NICOLAI. Lasso-type recovery of sparse representations for high-dimensional data..... 246–270
YU, BIN, SHI, TAO AND BELKIN, MIKHAIL. Data spectroscopy: Eigenspaces of convolution operators and clustering 3960–3984
YU, BIN, ZHAO, PENG AND ROCHA, GUILHERME. The composite absolute penalties family for grouped and hierarchical variable selection 3468–3497
YU, MENGGANG, NAN, BIN AND KALBFLEISCH, JOHN D. Asymptotic theory for the semiparametric accelerated failure time model with missing data 2351–2376
YUAN, AO. Bayesian frequentist hybrid inference 2458–2501
ZAMAR, RUBEN H., ALQALLAF, FATEMAH, VAN AELST, STEFAN AND YOHAI, VICTOR J. Propagation of outliers in multivariate data..... 311–331
ZHANG, CUN-HUI AND JIANG, WENHUA. General maximum likelihood empirical Bayes estimation of normal means 1647–1684
ZHANG, CUN-HUI AND ZHANG, ZHIYI. Asymptotic normality of a nonparametric estimator of sample coverage..... 2582–2595
ZHANG, HAO, MANDREKAR, V. S. AND DU, JUAN. Fixed-domain asymptotic properties of tapered maximum likelihood estimators 3330–3361
ZHANG, HAO HELEN AND ZOU, HUI. On the adaptive elastic-net with a diverging number of parameters 1733–1751
ZHANG, LI-XIN, HE, XUMING AND HU, FEIFANG. Efficient randomized-adaptive designs 2543–2560
ZHANG, TONG. Some sharp performance bounds for least squares regression with L_1 regularization 2109–2144
ZHANG, WENYANG, FAN, JIANQING AND SUN, YAN. A semiparametric model for cluster data 2377–2408
ZHANG, ZHIYI AND ZHANG, CUN-HUI. Asymptotic normality of a nonparametric estimator of sample coverage..... 2582–2595

ZHAO, PENG, ROCHA, GUILHERME AND YU, BIN. The composite absolute penalties family for grouped and hierarchical variable selection 3468–3497
ZHAO, XINGQIU AND BALAKRISHNAN, N. New multi-sample nonparametric tests for panel count data 1112–1149
ZHENG, SHURONG, BAI, ZHIDONG, JIANG, DANDAN AND YAO, JIAN-FENG. Corrections to LRT on large-dimensional covariance matrix by RMT 3822–3840
ZHOU, HARRISON H. AND CAI, T. TONY. A data-driven block thresholding approach to wavelet estimation 569–595
ZHOU, HARRISON H. AND CAI, T. TONY. Asymptotic equivalence and adaptive estimation for robust nonparametric regression ... 3204–3235
ZHOU, JIANHUI, WANG, HUIXIA JUDY AND ZHU, ZHONGYI. Quantile regression in partially linear varying coefficient models 3841–3866
ZHOU, YONG AND LIANG, HUA. Statistical inference for semiparametric varying-coefficient partially linear models with error-prone linear covariates 427–458
ZHOU, ZHOU AND WU, WEI BIAO. Local linear quantile estimation for nonstationary time series 2696–2729
ZHU, JI, JAMES, GARETH M. AND WANG, JING. Functional linear regression that's interpretable 2083–2108
ZHU, LIXING, CUI, XIA, GUO, WENSHENG AND LIN, LU. Covariate-adjusted nonlinear regression 1839–1870
ZHU, ZHONGYI, ZHOU, JIANHUI AND WANG, HUIXIA JUDY. Quantile regression in partially linear varying coefficient models 3841–3866
ZOU, HUI AND ZHANG, HAO HELEN. On the adaptive elastic-net with a diverging number of parameters 1733–1751
ZUCKER, DAVID M., HSU, LI AND GORFINE, MALKA. Case-control survival analysis with a general semiparametric shared frailty model: A pseudo full likelihood approach 1489–1517